pmp

SURFACING

THE STANDARD FOR SPECIALIST SURFACING







Ref B71/01

BOUND MULCH

RUBBER MULCH SURFACING

Bound Rubber Protection

pmpsurfacing.co.uk

Premium Bound Rubber Mulch



The original bound rubber playground surface, made from 100% recycled truck tyres. Free-draining, durable and available in natural colour blends, Bound Rubber Mulch resembles loose woodchip but with the advanatage that it stays firmly in place. Cerrtfied to BSEN 1177, BS7188 and EN12616, Bound Rubber Mulch offers excellent slip resistance, requires little maintenance and needs no hard edging on existing grass sites.



Smarter Alternative To Wood Bark

Unlike loose bark or woodchip surfacing, bound rubber mulch also stays firmly in place and never needs regular topping up or raking, greatly reducing maintenance costs while maintaining consistent safety and appearance all year-round.

Build Up Options




CFH: 1.3m - 1.5m

Layer One 40 - 50mm Bound Rubber Mulch

Layer Two Minimum 100mm compacted MOT Type 1 sub-base (non recycled aggregate), laid and graded to provide a stable foundation.

Layer Three Geotextile membrane installed beneath the sub-base to separate the formation from the aggregate and assist with long-term stability.



CFH: 1.7m - 3m

Layer One 40 - 50mm Bound Rubber Mulch

Layer Two SBR rubber shock-pad base layer installed at thickness between 20mm and 80mm, depending on the required critical fall height for the play equipment.

Layer Three Minimum 100mm compacted MOT Type 1 sub-base (non recycled aggregate), laid and graded to provide a stable foundation.

Layer Four Geotextile membrane installed beneath the sub-base to separate the formation from the aggregate and assist with long-term stability.

Safety Surfacing Features

Bound Rubber Mulch is engineered for outstanding impact attenuation, installed at depths carefully designed to meet critical fall-height requirements set by playground equipment manufactures. Its permeable, bonded surface cushions falls while allowing water to drain freely, preventing standing water and mud. The firmly bonded design resists displacement and trip hazards, offering a safe, non-toxic, splinter-free surface for children of all ages.

Environmentally Sustainable

Made primarily from recycled rubber, Bound Rubber Mulch diverts significant waste from landfill. Its long lifespan mean fewer replacements over time and its porous structure supports natural drainage, helping create greener, more sustainable outdoor spaces.



Bound Rubber Mulch Benefits


Low Maintenance
unlike traditional mulch, rubber mulch does not need to be regularly topped up or replaced due to natural decomposition. This makes it a convenient option for busy outdoor areas.

Weather Resistant
Bound rubber mulch is designed to perform in a range of weather conditions, helping the surface remain stable and attractive throughout the year.

Excellent Drainage
The porous nature of rubber allows water to pass through the surface, helping to reduce surface water and maintain a cleaner, more usable area after rainfall.

Comfortable Surface
Its flexible rubber composition provides a softer surface underfoot compared with many traditional hard landscaping materials, making it suitable for a variety of outdoor applications. upkeep.

Bound Rubber Mulch combines enhanced safety, natural good looks and outstanding durability. Its low-maintenance, bonded surface stays firmly in place, saving time and cost.



Colour Range


Red


Green


Dark Green


Brown


Blue


Grey


Yellow

Premium Colours


Autumn


Earth Tone


Woodland


Jungle Jump


Redwood


Spring Grass

pmp SURFACING

THE STANDARD FOR SPECIALIST SURFACING

PMP Surfacing Ltd
Unit 1, NEXUS, Dodworth,
Barnsley S75 3UD

t: 01226 447292
e: info@pmpsurfacing.co.uk

Visit Our Website

pmpsurfacing.co.uk

TikTok @pmp.surfacing

/PMPSurfacing

@pmp_surfacing

@PMPSurfacing

PMP Surfacing